

Docket# 460-008676-US (PAR)
S/N 09/3837461
Title METHOD FOR INDICATING
Inventor Rimpela, R




Fig. 1 PRIOR ART



Docket# 460-008876-US (PAR) S/N 09/383 481 Title METHOD FOR INDICATING Inventor: Rimpela R. Page # 2




Fig. 2 PRIOR ART



Docket# 460-008876-US (PAR) S/N 09/383/481 Title METHOD FOR INDICATING Inventor: Rimpéla R. Page #

## **RLC data Block** Downlink

1 ·	2	3	<b>`</b> 4	5	6	7	8				
Payloa	Payload Type		RRBP		USF			MAC header			
Р	R			TFI	TFI		FBI	Octet 1			
			BSN			E	Octet 2				
Length indicator						М	E	Octet 3 (optional)			
	Length indicator					М	E	Octet M (optional			
	Octet M+1										
	Octet N-1										
			<del></del>					Octet N			
spare					spare	)	(if present)				

Fig. 3



Docket# 460-008876-US (PAR) SZN 09/383 481 Title: METHOD FOR INDICATING Inventor Rimpela R **B1** B10 83  $\times$ 88 **B**7 **52 TDMA FRAMES** 84 83 IDLE FRAME × **B**2 <u>8</u> 8




Fig. 5

Docket# 460-008876-US (PAR)
S/N: 09/383 481
Title: METHOD FOR INDICATING:
Inventor Rimpela R : Page # 6 or 6




Fig. 6a

_	1	2	3	4	. 5	6	7	8	
	PT		PR		RRBP		USF		MAC header
S/P				TFI				FBI	Octet 1

Fig. 6b




Fig. 6c